

ARIZONA DEPARTMENT OF WATER RESOURCES

Office of Assured and Adequate Water Supply

3550 North Central Avenue, Phoenix, Arizona 85012

Telephone 602 771-8599

Fax 602 771-8689



Janet Napolitano
Governor

Herbert R. Guenther
Director

January 14, 2009

Ms. Cindy Ferrin
Arizona Department of Real Estate
2910 N. 44th Street
Phoenix, Arizona 85018

Water Report #53-700604.0000

Subdivision Name: Lakeside Ski Village

Owner: Lakeside Ski Village Inc., an Arizona Corporation and Lakeside Ski Village HOA, an Arizona non-profit corporation

Number of lots: 22

County: Maricopa

Township 4 South, Range 4 West, Section 3

Water provided by: Lakeside Ski Village HOA

Water Type: Groundwater

Current water depth: No Information provided

Estimated 100-year depth: No Information provided

Current decline rate: No Information provided

Basin: Gila Bend

Dear Ms. Ferrin:

Pursuant to A.R.S. § 45-108, the Department of Water Resources has reviewed the available information pertaining to the water supply for the above-referenced subdivision. This letter constitutes the Department's report on the subdivisions water supply as required by A.R.S. § 45-108(A).

Adequacy of the 100-year water supply was reviewed by the Department with regard to physical, legal and continuous availability, water quality, and financial capability. No information has been provided to the Department that indicates that the applicant has satisfied the adequate water supply requirements as set forth in A.A.C. R12-15-701 *et seq.* Therefore, the Department of Water Resources finds the water supply to be *inadequate* to meet the subdivision's projected needs.

Pursuant to A.R.S. §32-2181(F) a summary of the Department's report for those with an inadequate water supply shall be included in all promotional material and contracts for sale of lots in the subdivisions. We suggest the following synopsis:


“Lakeside Ski Village subdivision is being served groundwater by Lakeside Ski Village HOA . The developer has chosen not to demonstrate a 100-year adequate water supply. The applicant has not demonstrated that the criteria for physical, legal and continuous availability, water quality, and financial capability have been met. Therefore the Department must find the water supply to be *inadequate*. For additional information please contact Richard Obenshain, of the Office of Assured and Adequate Water Supply at (602) 771-8622.”

The developer, pursuant to A.R.S. §32-2181(F), may suggest a different summary of this report, but it must contain the above elements and/or the Department's findings.

Pg. 2
January 14, 2009
Water Report
Lakeside Ski Village subdivision

This letter is being forwarded to your office as required by A.R.S. § 45-108. This law requires the developer to hold the recordation of the subdivision's plat until receipt of the Department's report on the subdivision's water supply. By copy of this report, the Maricopa County Recorder is being officially notified of the developer's compliance with the law.

Sincerely,

A handwritten signature in black ink, reading "Sandra Fabritz-Whitney". The signature is written in a cursive style with a large, looping initial "S".

Sandra Fabritz-Whitney
Assistant Director
Water Management Division

cc: Town of Gila Bend
Luigi Talarico Jr.
Richard Obenshain, Office of Assured and Adequate Water Supply